ELSEVIER

Journal of Wind Engineering
and Industrial Aerodynamics 69–71 (1997) 1013–1018

JOURNAL OF
wind engineering
AND
industrial
aerodynamics

Author index to volumes 69–71 (1997)

Adachi, T., Effects of surface roughness on the universal Strouhal number over the wide Reynolds number range 69–71 (1997) 399

Baker, C.J., *see* Hargreaves, D.M. 69–71 (1997) 927
Baker, C.J., *see* Pearce, W. 69–71 (1997) 915
Banks, R.W., *see* Holmes, J.D. 69–71 (1997) 885
Barlow, J.B., *see* Kumarasamy, S. 69–71 (1997) 239
Bearman, P.W., Vortex-induced motion 69–71 (1997) 123
Bearman, P.W., Near wake flows 69–71 (1997) 125
Bearman, P.W., Tall flexible structures 69–71 (1997) 129
Bearman, P.W., *see* Meneghini, J.R. 69–71 (1997) 229
Bearman, P.W., Near wake flows behind two- and three-dimensional bluff bodies 69–71 (1997) 33
Beste, F. and J.E. Cermak, Correlation of internal and area-averaged external wind pressures on low-rise buildings 69–71 (1997) 557
Bienkiewicz, B., *see* Jeong, S.H. 69–71 (1997) 685
Bienkiewicz, B. and H.J. Ham, Wavelet study of approach-wind velocity and building pressure 69–71 (1997) 671
Blackmore, P.A., *see* Robertson, A.P. 69–71 (1997) 451
Bogunovic Jakobsen, J., Span-wise structure of lift and overturning momentum on a motionless bridge girder 69–71 (1997) 795
Bowditch, P., *see* Cheung, J.C.K. 69–71 (1997) 529
Brika, D. and A. Laneville, Vortex-induced oscillations of two flexible circular cylinders coupled mechanically 69–71 (1997) 293
Buresti, G., R. Fedeli and A. Ferraresi, Influence of afterbody rounding on the pressure drag of an axisymmetrical bluff body 69–71 (1997) 179

Castro, I.P., Vortex shedding from a ring in oscillatory flow 69–71 (1997) 387
Cermak, J.E., *see* Beste, F. 69–71 (1997) 557
Cheung, J.C.K., J.D. Holmes, W.H. Melbourne, N. Lakshmanan and P. Bowditch, Pressures on a $\frac{1}{10}$ scale model of the Texas Tech Building 69–71 (1997) 529

Daito, Y., *see* Matsumoto, M. 69–71 (1997) 871
Davidson, L., *see* Sohankar, A. 69–71 (1997) 189

Farell, C., *see* Sitheeq, M.M. 69–71 (1997) 461
Fedeli, R., *see* Buresti, G. 69–71 (1997) 179
Ferguson, W.A., *see* Robertson, A.P. 69–71 (1997) 451
Ferraresi, A., *see* Buresti, G. 69–71 (1997) 179
Flaga, A., Nonlinear amplitude dependent self-limiting model of lock-in phenomenon at vortex excitation 69–71 (1997) 331
Flay, R.G.J. and B.J. Vickery, A comparison of response predicitions for a rough cone from pressure and balance measurements 69–71 (1997) 473
Fong, S., *see* Richards, P.J. 69–71 (1997) 903
Fujino, Y., *see* Kimura, K. 69–71 (1997) 365

Elsevier Science B.V.

Fujino, Y., *see* Kitagawa, T. 69–71 (1997) 731
Fukushima, S., *see* Maeda, H. 69–71 (1997) 263

Geurts, C.P.W., H.S. Rutten and J.A. Wisse, Spectral characteristics of wind induced pressures on a full scale building in suburban terrian 69–71 (1997) 609
Glanville, M.J. and K.C.S. Kwok, Further investigation of the blockage-tolerant wind tunnel technique 69–71 (1997) 987
Glanville, M.J. and K.C.S. Kwok, Measurements of topographic multipliers and flow separation from a steep escarpment. Part II. Model-scale measurements 69–71 (1997) 893
Govardhan, R. and C.H.K. Williamson, Vortex-induced motions of a tethered sphere 69–71 (1997) 375
Gurley, K. and A. Kareem, Analysis interpretation modeling and simulation of unsteady wind and pressure data 69–71 (1997) 657

Hajj, M.R., *see* Jordan, D.A. 69–71 (1997) 709
Hajj, M.R., *see* Jordan, D.A. 69–71 (1997) 647
Hajj, M.R., *see* Tieleman, H.W. 69–71 (1997) 519
Hajj, M.R., I.M. Janajreh, H.W. Tieleman and T.A. Reinhold, On frequency-domain analysis of the relation between incident turbulence and fluctuating pressures 69–71 (1997) 539
Ham, H.J., *see* Bienkiewicz, B. 69–71 (1997) 671
Hargreaves, D.M. and C.J. Baker, Gaussian puff model of an urban street canyon 69–71 (1997) 927
Hibi, K., *see* Kikuchi, H. 69–71 (1997) 631
Holmes, J.D., *see* Cheung, J.C.K. 69–71 (1997) 529
Holmes, J.D., R. Sankaran, K.C.S. Kwok and M.J. Syme, Eigenvector modes of fluctuating pressures on low-rise building models 69–71 (1997) 697
Holmes, J.D., R.W. Banks and P. Paevere, Measurements of topographic multipliers and flow separation from a steep escarpment. Part I. Full scale measurements 69–71 (1997) 885
Hortmanns, M. and H. Ruscheweyh, Development of a method for calculating galloping amplitudes considering nonlinear aerodynamic coefficients measured with the forced oscillation method 69–71 (1997) 251
Hover, F.S., S.N. Miller and M.S. Triantafyllou, Vortex-induced oscillations in inclined cables 69–71 (1997) 203
Hoxey, R.P., *see* Richards, P.J. 69–71 (1997) 903
Hoxey, R.P., *see* Robertson, A.P. 69–71 (1997) 451
Hoxey, R.P., A.P. Robertson, G.M. Richardson and J.L. Short, Correction of wind-tunnel pressure coefficients for Reynolds number effect 69–71 (1997) 547

Ichikawa, Y., *see* Matsumoto, M. 69–71 (1997) 871
Igarashi, T., *see* Tsutsui, T. 69–71 (1997) 279
Igarashi, T., Drag reduction of a square prism by flow control using a small rod 69–71 (1997) 141
Ikeuchi, A., *see* Nagao, F. 69–71 (1997) 819
Inman, D.J., *see* Leo, D.J. 69–71 (1997) 105
Ito, N., *see* Takano, H. 69–71 (1997) 807
Iyengar, A.K.S., *see* Sitheeq, M.M. 69–71 (1997) 461

Janajreh, I.M., *see* Hajj, M.R. 69–71 (1997) 539
Jensen, A.G., Fluid dynamic derivatives: Marine and wind engineering approaches 69–71 (1997) 777
Jeong, S.H. and B. Bienkiewicz, Application of autoregressive modeling in proper orthogonal decomposition of building wind pressure 69–71 (1997) 685
Jones, N.P., *see* Scanlan, R.H. 69–71 (1997) 829

Jordan, D.A., M.R. Hajj and H.W. Tieleman, Wavelet analysis of the relation between atmospheric wind and pressure fluctuations on a low-rise building 69–71 (1997) 647
Jordan, D.A., M.R. Hajj and H.W. Tieleman, Characterization of turbulence scales in the atmospheric surface layer with the continuous wavelet transform 69–71 (1997) 709
Juhásová, E., Quasi-static versus dynamic space wind response of slender structures 69–71 (1997) 757

Kamemoto, K., *see* Tsutsui, T. 69–71 (1997) 279
Kareem, A., *see* Gurley, K. 69–71 (1997) 657
Kareem, A., Correlation structure of random pressure fields 69–71 (1997) 507
Kato, K., *see* Maeda, H. 69–71 (1997) 263
Kato, N., Y. Niihori, T. Kurita and T. Ohkuma, Full-scale measurement of wind-induced internal pressures in a high-rise building 69–71 (1997) 619
Kawai, H., Structure of conical vortices related with suction fluctuation on a flat roof in oblique smooth and turbulent flows 69–71 (1997) 579
Kawai, H., *see* Yoshie, R. 69–71 (1997) 745
Kazama, K., *see* Miyata, T. 69–71 (1997) 839
Khalak, A. and C.H.K. Williamson, Investigation of relative effects of mass and damping in vortex-induced vibration of a circular cylinder 69–71 (1997) 341
Kikuchi, H., Y. Tamura, H. Ueda and K. Hibi, Dynamic wind pressures acting on a tall building model–proper orthogonal decomposition 69–71 (1997) 631
Kim, H.-B., *see* Lee, S.-J. 69–71 (1997) 351
Kimura, K., *see* Kitagawa, T. 69–71 (1997) 731
Kimura, S., *see* Okajima, A. 69–71 (1997) 213
Kimura, S., *see* Okajima, A. 69–71 (1997) 997
Kimura, K., Y. Fujino, S. Nakato and H. Tamura, Characteristics of buffeting forces on flat cylinders 69–71 (1997) 365
Kitagawa, T., T. Wakahara, Y. Fujino and K. Kimura, An experimental study on vortex-induced vibration of a circular cylinder tower at a high wind speed 69–71 (1997) 731
Kiwata, T., *see* Okajima, A. 69–71 (1997) 997
Ko, N.W.M., *see* Leung, Y.C. 69–71 (1997) 169
Kobayashi, H., *see* Nagao, F. 69–71 (1997) 819
Kong, L. and G.V. Parkinson, A 3-D tolerant wind tunnel for general wind engineering tests 69–71 (1997) 975
Kubo, Y., *see* Maeda, H. 69–71 (1997) 263
Kumar, S. and T. Stathopoulos, Computer simulation of fluctuating wind pressures on low building roofs 69–71 (1997) 485
Kumarasamy, S., and J.B. Barlow, Computation of unsteady flow over a half-cylinder close to a moving wall 69–71 (1997) 239
Kurita, T., *see* Kato, N. 69–71 (1997) 619
Kwok, K.C.S., *see* Holmes, J.D. 69–71 (1997) 697
Kwok, K.C.S., *see* Glanville, M.J. 69–71 (1997) 893
Kwok, K.C.S., *see* Glanville, M.J. 69–71 (1997) 987

Lakshmanan, N., *see* Cheung, J.C.K. 69–71 (1997) 529
Laneville, A., *see* Brika, D. 69–71 (1997) 293
Larose, G.L. and F.M. Livesey, Performance of streamlined bridge decks in relation to the aerodynamics of a flat plate 69–71 (1997) 851
Lee, S.-J. and H.-B. Kim, The effect of surface protrusions on the near wake of a circular cylinder 69–71 (1997) 351
Leo, D.J. and D.J. Inman, Convex control design for vibration induced by uncertain excitations 69–71 (1997) 105
Letchford, C.W. and R. Marwood, On the influence of v and w component turbulence on roof pressures beneath conical vortices 69–71 (1997) 567

Leung, Y.C., C.H. Wong and N.E.M. Ko, Characteristics of flows over an asymmetrically grooved circular cylinder in the transitional regimes 69–71 (1997) 169
Lindqvist, E., *see* Peric, C. 69–71 (1997) 423
Liu, G., *see* Yoshimura, T. 69–71 (1997) 861
Livesey, F.M., *see* G.L. Larose 69–71 (1997) 851

Maeda, H., Y. Kubo, K. Kato and S. Fukushima, Aerodynamic characteristics of closely and rigidly connected cables for cable-stayed bridges 69–71 (1997) 263
Marwood, R., *see* Letchford, C.W. 69–71 (1997) 567
Marwood, R. and C.J. Wood, Conical vortex movement and its effect on roof pressures 69–71 (1997) 589
Matsumoto, T., *see* Okajima, A. 69–71 (1997) 213
Matsumoto, M., Y. Daito, F. Yoshizumi and Y. Ichikawa, Torsional flutter of bluff bodies 69–71 (1997) 871
Mehta, K.C., *see* Sarkar, P.P. 69–71 (1997) 597
Melbourne, W.H., *see* Cheung, J.C.K. 69–71 (1997) 529
Melbourne, W.H., Status of building aerodynamics research 69–71 (1997) 135
Melbourne, W.H., Predicting the cross-wind response of masts and structural members 69–71 (1997) 91
Meneghini, J.R. and P.W. Bearman, An investigation of the effect on vortex shedding of a sudden transverse disturbance applied to a circular cylinder 69–71 (1997) 229
Meroney, R.N., *see* Neff, D.E. 69–71 (1997) 413
Miller, S.N., *see* Hover, F.S. 69–71 (1997) 203
Miyata, T., *see* Yamada, H. 69–71 (1997) 769
Miyata, T., H. Yamada and K. Kazama, Discussion on aeroelastic detail and control in the flutter occurrences of long-span bridges 69–71 (1997) 839
Mizuta, Y., *see* Yoshimura, T. 69–71 (1997) 861
Mook, D.T., *see* Preidikman, S. 69–71 (1997) 955
Murakami, T., *see* Takano, H. 69–71 (1997) 807

Nagao, F., H. Utsunomiya, E. Yoshioka, A. Ikeuchi and H. Kobayashi, Effects of handrails on separated shear flow and vortex-induced oscillation 69–71 (1997) 819
Nakato, S., *see* Kimura, K. 69–71 (1997) 365
Neff, D.E. and R.N. Meroney, Mean wind and turbulence characteristics due to induction effects near wind turbine rotors 69–71 (1997) 413
Niihori, Y., *see* Kato, N. 69–71 (1997) 619
Norberg, C., *see* Sohankar, A. 69–71 (1997) 189

Ogasawara, M., *see* Takano, H. 69–71 (1997) 807
Ohkuma, T., *see* Kato, N. 69–71 (1997) 619
Okajima, A., T. Matsumoto and S. Kimura, Force measurements and flow visualization of bluff bodies in oscillatory flow 69–71 (1997) 213
Okajima, A., D. Yi, S. Kimura and T. Kiwata, The blockage effects for an oscillating rectangular cylinder at moderate Reynolds number 69–71 (1997) 997

Paevere, P., *see* Holmes, J.D. 69–71 (1997) 885
Pagnini, L.C., *see* Solari, G. 69–71 (1997) 719
Parkinson, G.V., *see* Kong, L. 69–71 (1997) 975
Pearce, W. and C.J. Baker,Wind-tunnel investigation of the effect of vehicle motion on dispersion in urban canyons 69–71 (1997) 915
Peric, C., S. Watkins and E. Lindqvist, Wind turbulence effects on aerodynamic noise with relevance to road vehicle interior noise 69–71 (1997) 423
Piccardo, G., *see* Solari, G. 69–71 (1997) 719
Prasad, A. and C.H.K. Williamson, A method for the reduction of bluff body drag 69–71 (1997) 155

Preidikman, S. and D.T. Mook, A new method for actively suppressing flutter of suspension bridges 69–71 (1997) 955

Ragab, S.A. and K.S. Youssef, Computational aspects of trailing vortices 69–71 (1997) 943
Reinhold, T.A., *see* Hajj, M.R. 69–71 (1997) 539
Reinhold, T.A., *see* Tieleman, H.W. 69–71 (1997) 519
Richards, P.J., S. Fong and R.P. Hoxey, Anisotropic turbulence in the atmospheric surface layer 69–71 (1997) 903
Richardson, G.M., *see* Hoxey, R.P. 69–71 (1997) 547
Robertson, A.P., *see* Hoxey, R.P. 69–71 (1997) 547
Robertson, A.P., R.P. Hoxey, J.L. Short, W.A. Ferguson and P.A. Blackmore, Wind loads on boundary walls: Full-scale studies 69–71 (1997) 451
Rockliff, N., *see* Steggel, N. 69–71 (1997) 317
Rodi, W., Numerical methods 69–71 (1997) 131
Rodi, W., Comparison of LES and RANS calculations of the flow around bluff bodies 69–71 (1997) 55
Ruscheweyh, H., *see* Ziller, C. 69–71 (1997) 303
Ruscheweyh, H., *see* Hortmanns, M. 69–71 (1997) 251
Rutten, H.S., *see* Geurts, C.P.W. 69–71 (1997) 609

Sankaran, R., *see* Holmes, J.D. 69–71 (1997) 697
Sarkar, P.P., Z. Zhao and K.C. Mehta, Flow visualization and measurement on the roof of the Texas Tech building 69–71 (1997) 597
Savage, M.G., *see* Yoshimura, T. 69–71 (1997) 861
Scanlan, R.H., Commentary 69–71 (1997) 133
Scanlan, R.H., Some observations on the state of bluff-body aeroelasticity 69–71 (1997) 77
Scanlan, R.H., N.P. Jones and L. Singh, Inter-relations among flutter derivatives 69–71 (1997) 829
Shimosato, T., *see* Takano, H. 69–71 (1997) 807
Shimura, M., *see* Yoshie, R. 69–71 (1997) 745
Short, J.L., *see* Hoxey, R.P. 69–71 (1997) 547
Short, J.L., *see* Robertson, A.P. 69–71 (1997) 451
Simiu, E. and T. Stathopoulos, Codification of wind loads on buildings using bluff body aerodynamics and climatological data bases 69–71 (1997) 497
Singh, L., *see* Scanlan, R.H. 69–71 (1997) 829
Sitheeq, M.M., A.K.S. Iyengar and C. Farell, Effect of turbulence and its scales on the pressure field on the surface of a three-dimensional square prism 69–71 (1997) 461
Sohankar, A., C. Norberg and L. Davidson, Numerical simulation of unsteady low-Reynolds number flow around rectangular cylinders at incidence 69–71 (1997) 189
Solari, G., L.C. Pagnini and G. Piccardo, A numerical algorithm for the aerodynamic identification of structures 69–71 (1997) 719
Stathopoulos, T., *see* Kumar, S. 69–71 (1997) 485
Stathopoulos, T., *see* Simiu, E. 69–71 (1997) 497
Steggel, N. and N. Rockliff, Simulaion of the effects of body shape on lock-in characteristics in pulsating flow by the discrete vortex method 69–71 (1997) 317
Syme, M.J., *see* Holmes, J.D. 69–71 (1997) 697

Takano, H., M. Ogasawara, N. Ito, T. Shimosato, K. Takeda and T. Murakami, Vibrational damper for cables of the Tsurumi Tsubasa bridge 69–71 (1997) 807
Takeda, K., *see* Takano, H. 69–71 (1997) 807
Tamura, H., *see* Kimura, K. 69–71 (1997) 365
Tamura, Y., *see* Kikuchi, H. 69–71 (1997) 631
Tieleman, H.W., *see* Hajj, M.R. 69–71 (1997) 539
Tieleman, H.W., *see* Jordan, D.A. 69–71 (1997) 647
Tieleman, H.W., *see* Jordan, D.A. 69–71 (1997) 709

Tieleman, H.W., T.A. Reinhold and M.R. Hajj, Importance of turbulence for the prediction of surface pressures on low-rise structures 69–71 (1997) 519
Triantafyllou, M.S., *see* Hover, F.S. 69–71 (1997) 203
Tsutsui, T., T. Igarashi and K. Kamemoto, Interactive flow around two circular cylinders of different diameters at close proximity. Experiment and numerical analysis by vortex method 69–71 (1997) 279

Ueda, H., *see* Kikuchi, H. 69–71 (1997) 631
Utsunomiya, H., *see* Nagao, F. 69–71 (1997) 819

Vickery, B.J., *see* Flay, R.G.J. 69–71 (1997) 473

Wakahara, T., *see* Kitagawa, T. 69–71 (1997) 731
Watkins, S., *see* Peric, C. 69–71 (1997) 423
Wei, R., *see* Yoshie, R. 69–71 (1997) 745
Willemsen, E., High Reynolds number wind tunnel experiments on trains 69–71 (1997) 437
Williamson, C.H.K., *see* Prasad, A. 69–71 (1997) 155
Williamson, C.H.K., *see* Khalak, A. 69–71 (1997) 341
Williamson, C.H.K., *see* Govardhan, R. 69–71 (1997) 375
Williamson, C.H.K., Advances in our understanding of vortex dynamics in bluff body wakes 69–71 (1997) 3
Wisse, J.A., *see* Geurts, C.P.W. 69–71 (1997) 609
Wong, C.H., *see* Leung, Y.C. 69–71 (1997) 169
Wood, C.J., *see* Marwood, R. 69–71 (1997) 589

Yamada, H., *see* Miyata, T. 69–71 (1997) 839
Yamada, H. and T. Miyata, Introduction of a modal decomposition and reassemblage method for the multi-dimensional unsteady aerodynamic force measurement 69–71 (1997) 769
Yi, D., *see* Okajima, A. 69–71 (1997) 997
Yoshie, R., H. Kawai, M. Shimura and R. Wei, A study on wind-induced vibration of super high rise building by multi-degree-of freedom model 69–71 (1997) 745
Yoshimura, T., Y. Mizuta, M.G. Savage and G. Liu, Half-circular and half-elliptic edge modifications for increasing aerodynamic stability of stress-ribbon pedestrain bridges 69–71 (1997) 861
Yoshioka, E., *see* Nagao, F. 69–71 (1997) 819
Yoshizumi, F., *see* Matsumoto, M. 69–71 (1997) 871
Youssef, K.S., *see* Ragab, S.A. 69–71 (1997) 943

Zhao, Z., *see* Sarkar, P.P. 69–71 (1997) 597
Ziller, C. and H. Ruscheweyh, A new approach for determining the onset velocity of galloping instability taking into account the nonlinearity of the aerodynamic damping characteristic 69–71 (1997) 303